

# RoughDeck® SLV Single Animal Livestock Scale

**RICE LAKE**  
WEIGHING SYSTEMS

*As of: Friday, August 15, 2025*



## Standard Features

- Mild steel construction
- Diamond safety thread plate deck
- Rigid-type structural steel channel frame
- NEMA Type 4X stainless steel side-access junction box without quick connector
- Signal trim summing board
- Four adjustable stainless steel SUREFOOT™ support feet

## Approvals



- SURVIVOR® EL147HE hostile environment load cell cable
- Four alloy steel load cells



WARNING:  
Cancer  
and  
Reproductive  
Harm  
California  
Proposition  
65

# Customizable Single Animal Scale

---

The RoughDeck SLV single animal livestock scale is a durable solution for weighing sheep, goats, cattle, hogs, horses and more. Depending on rancher needs, the SLV scale can be customized for retrofit or unique applications.

## Stable and Efficient Livestock Scale

---

The diamond treadplate and rigid structural steel channel frame provide durability for weighing. The NEMA Type 4x stainless steel side-access junction box is well-protected and does not need a quick connector.

Equipped with four adjustable stainless steel SUREFOOT™ support feet and a SURVIVOR® EL147HE hostile environment load cell cable, this livestock scale can fit into any environment needed to weigh a variety of livestock. With four alloy steel load cells, the digital livestock scale provides quick and reliable measurements.

## RoughDeck SLV Single Animal Livestock Scale Specifications

---

**Full Scale Capacity:**  
4,000 lb, 1 lb increments

**Cable Length:**  
20 ft (6 m)


**Warranty:**  
Two-year limited (scale only)

**Approvals:**  
NTEP 92-001 Class III  
4,000 d

*Capacity not to exceed  
4,000 lb x 1 lb and platform  
size not to exceed 32 sq ft*

**End Load Capacity:**  
125% full scale

# RoughDeck SLV Single Animal Livestock Scale Dimensions



## Dimensions

3 × 8 ft

A	99.12 in	I	2.63 in
B	45.56 in	J	3.38 in
C	7.88 in	K	29.25 in
D	36.95 in	L	36.00 in
E	65.45 in	M	32.75 in
F	74.00 in	N	3.50 in

Dimensions			
<b>3 × 8 ft</b>			
G	95.00 in	O	77.58 in
H	90.75 in		
<b>4 × 8 ft</b>			
A	99.12 in	I	2.63 in
B	45.56 in	J	3.38 in
C	7.88 in	K	41.25 in
D	36.95 in	L	48.00 in
E	65.45 in	M	44.75 in
F	74.00 in	N	3.50 in
G	95.00 in	O	77.58 in
H	90.75 in		

## Parts

---

### Part # Description

#### RoughDeck SLV 4,000 lb Bundle Package (Ships Assembled)

<b>226205</b>	Scale Pkg,RoughDeck SLV 3 X 8 Single Animal Livestock Scale 4,000 lb Capacity with Swing Gates, Racks, Kick Plates, 380 Synergy Indicator, Factory Calibrated Prior To Shipping With 1 lb Increments
<b>226206</b>	Scale Pkg,RoughDeck SLV 3 X 8 Single Animal Livestock Scale 4,000 lb Capacity with Slide Gates, Racks, Kick Plates, 380 Synergy Indicator, Factory Calibrated Prior To Shipping With 1 lb Increments
<b>226207</b>	Scale Pkg,RoughDeck SLV 4 X 8 Single Animal Livestock Scale 4,000 lb Capacity with Swing Gates, Racks, Kick Plates, 380 Synergy Indicator, Factory Calibrated Prior To Shipping With 1 lb Increments
<b>226209</b>	Scale Pkg,RoughDeck SLV 4 X 8 Single Animal Livestock Scale 4,000 lb Capacity with Slide Gates, Racks, Kick Plates, 380 Synergy Indicator, Factory Calibrated Prior To Shipping with 1 lb Increments

#### RoughDeck SLV Scale Platform Only

<b>103617</b>	Scale, Animal Roughdeck 3x8 SLV-4K 3ftx8ftx3-1/2 4,000lb 20ft w/o quick Connect NTEP Modified to Fit Gate and Rack. (Scale Platform Only)
<b>78452</b>	Scale, Animal Roughdeck 3x8SLV-4K 3ftx8ftx3-1/2 4,000lb 20ft w/o Quick Connect NTEP (Scale Platform Only)
<b>103619</b>	Scale, Animal Roughdeck 4x8 SLV-4K 4ftx8ftx3-1/2 4,000lb 20ft w/o Quick Connect NTEP Modified to Fit Gate and Rack. (Scale Platform Only)
<b>78453</b>	Scale, Animal Roughdeck 4X8SLV-4K 4ftx8ftx3-1/2 4,000lb 20ft w/o Quick Connect NTEP (Scale Platform Only)

# Options

Part #	Description
226036	Indicator,380 Universal Segmented LCD Display, Battery Powered, Synergy Series With 4 Pin Quick Connect Ag Scale Cable .
18777	Mounting Plate Set, Roughdeck 1,000-10,000 lb Steel Painted
18778	Mounting Plate Set, Roughdeck 1,000-10,000 lb SST
Consult	Smooth deck instead of diamond safety tread plate
Consult	Stainless steel load cells (RL32018S IP66) and hardware
Consult	Stainless steel hermetically sealed load cells (RL32218S-HE IP69K) and hardware
Consult	Angle iron bolted to scale for wood deck provisions (wood to be supplied by customer)
Consult	Rubber mat

**www.ricelake.com | 800-472-6703**

*An ISO 9001 Registered Company ©2024 Rice Lake Weighing Systems*