

Rice Lake VS-12 Dual Range Digital Companion Animal Scale



As of: Thursday, August 21, 2025



Standard Features

- LCD display
- Dual-range capacity for increased precision
- Unit of measure locking
- Automatic shut-off for long battery life
- Motiontrap™ movement compensation technology
- Built-in measuring tape

Approvals



WARNING:
Cancer and
Reproductive
Harm
California
Proposition 65

Rice Lake VS-12 Small Animal Scale

The Rice Lake VS-12 small animal scale precisely weighs even the most active pets up to 33 pounds. Motiontrap™ movement compensation technology compensates for involuntary movements and provides a stable, accurate weight reading. Enhanced precision is essential especially when searching for a scale to weigh puppies and kittens. The Rice Lake VS-12 digital vet scale provides these precise weighments from zero to 10 pounds with accuracy within 0.05 ounces. A two-sided removable tray keeps animals safe and a built-in measuring tape ensures quick and easy measurements.

Rice Lake VS-12 Dual Range Digital Companion Animal Scale Specifications

Capacity:

Range 1: 0 to 10 lb × 0.05 oz

(0 to 5 kg × 1 g)

Range 2: 10 to 33 lb × 0.1 oz

(5 to 15 kg × 2 g)

Power:

12 VDC, provided by six AA lithium batteries (included) or AC adapter (optional)

Battery Type:

Six Li-FeS2 batteries

Temperature:

Operating:

50 °F to 95 °F (14 °C to 35 °C)

Display:

5-digit LCD display, 0.75 in (1.9 cm) digit height


Approvals:

c-Met E113986

Warranty:

Two-year limited

Rice Lake VS-12 Dual Range Digital Companion Animal Scale Dimensions



Dimensions		
	Inches	Centimeters
A	23.94	60.8
B	16.95	43.1
C	6.29	16.0
D	10.50	26.7
E	3.11	7.9
F	13.34	33.9

Rice Lake VS-12 Dual Range Digital Companion Animal Scale Shipping Weight

Shipping Dimensions and Weight							
Part #	Model #	Length (in)	Width (in)	Height (in)	Package Wgt. (lb)	Dim Wgt. (lb)	Shipping Wgt. (lb)
204398	Rice Lake VS-12	18	28	11	25	40	40

Parts

Part # Description

204398 Scale, Rice Lake VS-12 0-10lb(0-5kg) x +/-0.05oz(1g) 10-33lb(5-15kg) x +/-0.1oz(2g) Powered by Li-FeS2 Batteries or 9V AC Adaptor 120/230V auto switching with NEMA 1-15 Plug style (Batteries included, AC Adaptor Optional)

Options

Part #	Description
165138	Power Supply, +12.0V Wall rated input voltage 100-240V, Operating range 50/60Hz, rated input frequency 1.25mA, UL 60601-1 approved, NEMA 1-15 Plug

www.ricelake.com | 800-472-6703

An ISO 9001 Registered Company ©2024 Rice Lake Weighing Systems