



FLOOR SCALE

PLP SERIES



Models:


PLP 4X4 2500/5000
PLP 4X4 5000/10000
PLP RAMP 4X4




Product features

- ✓ Available in 5000 and 10000 lb capacities
- ✓ LED display with backlight
- ✓ Heavy duty platform
- ✓ Robust anti-skid carbon steel construction
- ✓ Toggles between kilograms and pounds
- ✓ Tare function
- ✓ RS 232 serial communication

Product highlights



Electronic scale 100 % accurate



Available in anti skid platform



Available Ramp accesory

Certifications



Warranty






FLOOR SCALE

PLP SERIES

Dimensions



Technical specifications

Dimensions PLP 4X4 2500/5000 lb 5000/1000 lb

External dimensions	W: 47.24 " D:47.24" H: 3.93"
Packging dimensions	W: 50.78 " 52.75" H: 9.05"
Net weight	240.34 lb
Total weight	273.42 lb

Construction

Base material	Carbon steel construction
Leveling feet	4 adjustable foot

Logistic data

Units per pallet	10
Storage temperature	-4°F to 122°F (-20°C to 50°C)

Electrical Data

Power supply	100-240 Vca / 47/63 Hz
Input Current	0.2 A
Cord length	47.24 "
Lighting	LED
Plug type	NEMA-5-15P
Display	LCD display with backlight

Performance data

Capacity	5000.00 lb & 10000.00 lb
Minimal division	1.00 lb & 2.00 lb
Max. Tare	5000.00 lb & 10000.00 lb

Additional data


Operation temperature	14°F to 104°F (-10°C to 40°C)
Communication	Serial RS-232
Software PC available	Software scale




FLOOR SCALE

PLP SERIES

Dimensions



Front view



Side view

Technical specifications

Dimensions PLP RAMP 4X4

External dimensions	W: 41.05 " D:48.00" H: 3.35"
Packing dimensions	W: 50.78 " D:52.75" H: 9.05"
Net weight	156.52 lb

Construction

Base material	Carbon steel construction

Logistic data

Units per pallet	5
Weight per pallet	781 lb
Storage temperature	-4°F to 122°F (-20°C to 50°C)

